

PSC Osijek Jablanova 16 31000 Osijek 031 297 341

PSC Bjelovar Bleiburških žrtava 22 43000 Bjelovar 046 226 440









John Deere 5125R

93.000€



PSC Osijek Jablanova 16 31000 Osijek 031 297 341 **PSC Bjelovar** Bleiburških žrtava 22 43000 Bjelovar 046 226 440

DESCRIPTION

2019, John Deere PowerTech 4.5L engine, John Deere Command8 32/16 gearbox, 40 km/h, John Deere 543R tractor front-end loader

TECHNICAL SPECIFICATIONS

Year of manufacture: 2019

First registration: 2019

Number of working hours of the engine: 1050

Horsepower: 125

Working capacity of the engine: 4525 ccm

Number of cylinders: 4

Engine type: John Deere PowerTech 4.5 I

Transmission: John Deere Command8 32/16

Maximum speed: 40 km/h

PTO: Independent rear PTO 540/540E/1000 o/min

Machine mass: 4500

Fuel tank capacity: 177 I

Hydraulic pump: 117 l/min

CABIN

Premium cabin with air conditioning and mechanical suspension heating, left and right telescopic rear-view mirrors, interior rear-view mirror, super comfortable driver's seat with air suspension, monitor on the cabin vertical showing all tractor parameters, tilting and telescopic steering, fixed windshield, wiper with windshield washing function, radio with Bluetooth, sunshade, interior lighting – roof light and right console lighting, passenger seat, rear window wiper, leather-wrapped steering wheel

Command Arm, Panoramic roof, Premium driver's seat, radio with Bluetooth.

HYDRAULICS AND PTO

PFC pressure and flow compensation, Hydraulic pump with a capacity of 117 l/min, 2 double-working rear hydraulic sockets, 3 pairs of EH SCV

Front cardan for 5G/5M/5R/6MC/RC/6M/6R, 1 pair of front SCVs.

WHEEL DIMENSIONS

Rear tires 420/85R38

Front tires 380/85R24, with 8-position adjustable rims

FRONT AXLE

4WD mechanical drive, electro-hydraulic activation Rear axle: with mechanical drive, planetary final drives, with flange

Front axle suspension

TOWING HITCH

Lower drawbar. Automatic upper drawbar.



PSC Osijek Jablanova 16 31000 Osijek 031 297 341 **PSC Bjelovar** Bleiburških žrtava 22 43000 Bjelovar 046 226 440

LIGHTS AND ELECTRONICS

360-degree illumination: 2 front working lights on the motor bonnet, 4 rear cabin roof working lights, 4 front cabin roof working lights, rotating light

AMS

- iTec, HMS , JDLink ready

ADDONS

Toolbox, rear mudguards extensions, front swivel mudguards Weights: Front weight carrier, carbon filters

Front hydraulic

OTHER INFORMATION

John Deere 543R tractor front-end loader - Maximum lifting height: 3,680 mm - Maximum lifting weight: 1,715 kg - MSL - Mechanical self-leveling loader Mounts for tractors without loader preparation - M-LCV 3-function loader control components -multi-coupling - motor bonnet guard - GSS joystick gear shift - 5R models loader preparation - loader suspension